

Downlight 705.24 Tilt Square NW Wide Flood 1-10V Aluminium

REF. 70524133-484



BASIC INFORMATION

DESCRIPTION

Downlight with Wide Flood optics and Ecorrae Category A of the series Downlight 705 of Simon. It has a colour temperature of 3900 K and a light intensity of 1080lm / 15,5W, as well as detailed frequency of 50 / 60 Hz. It can be installed in any room with a maximum temperature of 40°C and offers a service life of a 30,000 hours to operate at 25 ° C. Its power is carried out by means of a power 120-240 V, it is a type of downlight that must be installed by recessed. Manufactured in aluminium, this downlight has dimensions of 86x86 mm and a weight of just 400 g. The downlights of the series 705 are perfect for hotels and hospitals, since they offer lighting ambience with. It is a type of downlights, perfect for specific areas such as fitting rooms, reception areas, washrooms, etc and also these downlights provide accent lighting to enable you to highlight objects on rooms or in cabinets.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1080 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

1-10 V

LIGHTING EFFICIENCY (LM/W)

70 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1080 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.602

PRODUCT NET WEIGHT

0.602

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122396

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.602

PACKAGING NET WEIGHT

0.602

PACKAGING WEIGHT UNIT

KGM