

USB charger type A+C port 65W PowerDelivery and QuickCharge black Simon K45

REF. K126H/14



BASIC INFORMATION

DESCRIPTION

With dimensions of 45 x 45 mm, the K126H/14 charging base has two USB type A+C ports in black. The dual module allows simultaneous charging of 2 devices with 65W power using Power Delivery and Quick Charge 3.0 technology, enough to maintain the charge of our portable devices. But the best part, without a doubt, is its construction with metallic components coated with self-extinguishing thermoplastic insulation and halogen-free materials, ensuring that flames do not spread in case of fire, as well as having low toxicity in the event of smoke emission. The Simon K45 collection offers suitable solutions even for the most demanding users, thanks to our commitment to innovation and the use of the highest quality materials.

FINISH

Graphite

MATERIAL

Thermoplastic

COMPATIBILITY

K45 Solutions. Solutions 500

Cima through adapter

50012088-038.

ETIM CLASS

EC002949

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

RECESS DIMENSION (MM)

48

NUMBER OF CONNECTORS

2

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

USB CHARACTERISTICS

PD QC 65W

CONNECTOR TYPE

USB A + USB C

POWER DELIVERY USB

Yes

NUMBER OF CONTACTS

2

PLATE TYPE

Flat

QUICK CHARGE USB

Yes

FORMAT

USB A + USB C

POWER SUPPLY (V~)

230 V~

VOLTAGE (V~)

230 V~

INDICATOR FUNCTION

Yes

RAL

9005

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

8

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REMOVAL OF CONNECTOR

Only with tool

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 2

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053329276

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053329276

PACKAGING VOLUME

232375

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

65

PACKAGING GROSS WEIGHT

0.121

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

55

PACKAGING NET WEIGHT

0.103

UNITARY PACKAGING GROSS
WEIGHT

0.103

PACKAGING LENGTH

65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.103