
Pull-cord push-button switch 10A 250V~ with fast terminal connection system ivory Simon 27 Play

REF. **27153-62**



BASIC INFORMATION

DESCRIPTION

It is a push-button switch handler push buttons 10 AX 250V~ with quick terminal connection system and finished in white, ivory, which is included in the Simon 27 Play series, the piece is suitable for surface and flush mounting and has dimensions of 45x45 mm in terms of its manufacturing material, it consists of metal components with halogen-free thermoplastic insulation and thermoset trim in. Thanks to its terminal connection system, there is no need to strip cables at the time of its installation, making the task and by doing it much more secure. This article is compatible with the frames of the series Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralizations and Simon 44 Aqua. As for its maintenance, it is recommended to clean this push-button switch with a soft, dry cloth and avoid abrasive cleaning products containing chlorine.

FINISH

Ivory

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mechanism with rocker

ETIM CLASS

EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Pivoting

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
11

CLAW
Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American and Centralisations

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN IEC 61058-1:2018 |EN 61058-2-1:2011|EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053251645

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.063

PRODUCT NET WEIGHT
0.063

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053081488

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
223

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3.017

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.63

PACKAGING NET WEIGHT
0.63

PACKAGING WEIGHT UNIT
KGM