

Sound centre with 1 trunking

REF. 05031-39



BASIC INFORMATION

DESCRIPTION

Stereo sound control unit of 1 trunking with screw-terminal connection system, which allows quick and easy installation, in addition, the article is suitable for surface and flush mounting. Its resistance to extreme temperatures makes it suitable for use in any environment, although the manufacturer recommends exposing the mechanism to temperatures between 5 and 40°. The piece includes recessed box and supports the possibility of expanding controls with the 05070-39 amplifier. In compliance with the regulations, it is equipped with electronic components with thermoplastic insulation and halogen-free. It measures 278x126x21 mm The sound control unit belongs to the Simon 82 series, a collection of minimalist designs and noble finishes. Its mechanisms adapt to all contexts and create trends. It is compatible with Simon 77 Series devices.

COMPATIBILITY

Simon 05 mechanisms

PACKAGING CONTENTS

Sound centre, flush-mount box, RCA cable, 2 RCA adaptors and instruction sheet

ETIM CLASS

EC002484

REMARKS

The article includes flush-mount box. Possibility of increasing the number of controls using amplifier 05070-39

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

POWER SUPPLY (V~)

230 V~

CABLE SECTION ADMITTED (MM)

From 0,25 to 1,5 mm

IP RATING

IP20

POWER SUPPLY CONNECTION INDICATOR

Yes

AUXILIARY CURRENT OUTPUT

1

TYPE OF MECHANISM

Push

REAR INPUT VIA TERMINALS

Yes

NUMBER OF CONTACTS

15

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

FREQUENCY

50 - 60 Hz

OUTLET VOLTAGE (VDC)

12 VDC

NUMBER OF WIRES

7

FRONT RCA INPUT

Yes

OUTPUT POWER (W)

40 VA

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

6

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Own

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 55020:2007 + EN 55020:2007 A11:2011 + EN 55032:2012 + EN 60065:2002 + EN 60065:2002 A1:2006 + EN 60065:2002 A11:2008 + EN 60065:2002 A2:2010 + EN 60065:2002 A12:2011 +

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053059036

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

1.34

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

0

PACKAGING NET WEIGHT

1.34

UNITARY PACKAGING GROSS
WEIGHT

1.34

PACKAGING WIDTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

1.34

PACKAGING LENGTH

0