

Kit flush-mounted wall box Cima Pro with 3 double elements including 1 double socket, 1 double socket for UPS, and plate for 2 RJ45 white Simon Cima

REF. XSBM0322/9



BASIC INFORMATION

FINISH

White

MATERIAL

Various

ETIM CLASS

EC002601

TECHNICAL INFORMATION

NUMBER OF CLAMP-HOLDER HOLES

10

NUMBER OF CONNECTORS

0

DUST SHUTTER

Yes

FORMAT

Schuko

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

07

INDICATOR FUNCTION

Yes

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

PLATE TYPE

Flat

RAL

9003

RECESS DIMENSION (MM)

156 x 226 mm

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

REMOVAL OF THE FRAME

Only with tool

INSTALLATION DIRECTION

Horizontal, Vertical

REMOVAL OF THE PLATE

Only with tool

REMOVAL OF THE SOCKET

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436044852

PRODUCT NET WEIGHT

0.69

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

2132625

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436044852

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

2132625

PACKAGING HEIGHT

55

PACKAGING NET WEIGHT

0.69

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.69

PACKAGING LENGTH

235