

## Double rocker for switches champagne Simon 82

REF. 82026-34



## BASIC INFORMATION

### DESCRIPTION

Double rocker for control mechanisms, it is part of the Simon 82 series and has a finish in champagne colour. This rocker we can find it in a total of six finishes varied. The recommendation is resorting to a frame in the same colour as the rocker selected. This double rocker Simon has exact dimensions 55 x 55 millimetres. It is the double version for a single element and does not include the signaling function of any kind. It has engraved in its design. It can be installed in surface-mounted or recessed, to increase the versatility of the product and adapt to the space in which it is located. To ensure maximum security during their use, it is made of galvanized thermoplastic, a material that avoiding flame spread in case of fire and the minimum toxicity in case of smoke. It also withstands temperatures very variables, ranging from -25 to + 50 degrees centigrade. Does not require much maintenance, simply have to clean it with a soft cloth cotton completely dry cloth.

### FINISH

Champagne

### MATERIAL

Plastic

### PACKAGING CONTENTS

Double rocker and fastening bracket

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP21

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Double

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053257616

### UNITARY PACKAGING GROSS WEIGHT

0.023

### PACKAGING LENGTH

223

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.023

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

3017190

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053052440

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

20

### PACKAGING GROSS WEIGHT

0.45

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

82

### PACKAGING NET WEIGHT

0.46

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

165

### PACKAGING WEIGHT UNIT

KGM