


## Rocker for push-button 10A 250V~ with fast terminal connection graphite Simon 24 Harmonie

REF. 2410150-038



### BASIC INFORMATION

#### FINISH

Graphite

#### PACKAGING CONTENTS

Mechanism

#### COMPATIBILITY

Simon 24 Harmonie frames

#### ETIM CLASS

EC000011

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE, except for Spain, UK, Poland, Portugal, Andorra and Russia

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### NUMBER OF POSSIBLE ELEMENTS

1 element

### IK CLASSIFICATION

01

### CURRENT (A)

10 A

### IP RATING

IP20

### TYPE OF MECHANISM

Rocker

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

Single

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

14

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

### CLAW

Push&Go

### INSTALLATION TYPE

Flush-mounted or surface-mounted

## REGULATIONS

### REGULATIONS

NM 06.6.001-2015

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053190630

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.052

### PRODUCT NET WEIGHT

0.052

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053347805

### UNITS CONTAINED PACKAGING

10

### PACKAGING HEIGHT

91

### PACKAGING WIDTH

91.1

### PACKAGING LENGTH

333

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

2760603.3

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT


0.52

### PACKAGING WEIGHT UNIT


KGM

# MECANISMOS SIMON 31, 75, 77, 82 Y 88


## Mecanismos básicos / Basic switches




Interrupor unipolar / Single-pole switch  
XXXX101-XXX




Interrupor unipolar / Single-pole switch  
7700101-039




Pulsador / Push button switch  
XXXX150-XXX




Pulsador / Push button switch  
7700150-039




Interrupor bipolar / Double pole switch  
XXXX133-XXX




Conmutador / 2-way switch  
XXXX201-XXX




Conmutador / 2-way switch  
7700201-039




Conmutador cruce / Intermediate switch  
XXXX251-XXX




Conmutador cruce / Intermediate switch  
7700251-039




Grupo 2 interruptores / 2 switches group  
XXXX398-XXX




Pulsador desconexión / Push button disconnection switch  
XXXX152-XXX




Grupo dos conmutadores / 2-way switches group  
XXXX397-XXX




Grupo de pulsadores desconexión / Push button switch  
disconnection group XXXX395-XXX




Grupo conmutador y pulsador / 2-way and push button switch group  
XXXX301-XXX




Interrupor unipolar / Single-pole switch  
XXXX102-XXX




Interrupor con piloto / Push button pilot switch  
7700112-039




Interrupor bipolar / Double pole switch  
XXXX134-XXX




Conmutador / 2-way switch  
XXXX202-XXX




Interruptor unipolar con luminoso / Single-pole switch with light  
XXXX104-XXX




Pulsador con luminoso / Push button switch with light  
XXXX160-XXX



Pulsador con luminoso / Push button switch with light  
7700160-039



Conmutador con luminoso / 2-way switch with light  
XXXX204-XXX



Conmutador cruce con luminoso / Intermediate switch with light  
XXXX254-XXX