

Spotlight DROP Mini 3000 K Flood On Board Dimmer White

REF. 91891612-300



BASIC INFORMATION

DESCRIPTION

Spotlight Drop mini with a colour temperature of 3000 K from warmer tones that invites peace of mind and the calm but with tones as more neutral settings for that this is not relaxation. They invite you to feel comfortable, with us same and towards the rest, but also active. By another part, with high performance lighting due to a optics Spot of quality and the best LED technology that provides to 81 lm / W. Respecto to the dimensions of this spotlight, are 55 () x84 mm and it is a spotlight with die-cast aluminium.

In this type of luminaires, it is important to know its orientation. In this case, the horizontal and vertical are 360 °. Spotlight with luminaire for walls, roof and suspended. Made of die-cast aluminium, with a white finish, Control and dimming per system On board dimmer.

Do you want to know more about this spotlight Drop? You can see more features of this spotlight mini in this same site, in the flanges. Also you can consult our online catalogue; to locate him to it, you should note the following Art.No.: 91891612-300.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

NW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1020 lm

RAL

9016

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

3000 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Flood 31°

L90 (°C)

40000h at 25°C


POWER (W)

13.5 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049530

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547049530

PACKAGING VOLUME

4452120

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

180

PACKAGING NET WEIGHT

0.4

UNITARY PACKAGING GROSS
WEIGHT

0.58

PACKAGING LENGTH

298

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.4