

German socket outlet 16A 250V~ with safety device and screw terminal connection aluminium Simon 31

REF. 31432-63



BASIC INFORMATION

DESCRIPTION

Schuko socket outlet from the Simon 31 series, with safety device and screw terminal connection finished in aluminium colour. It has a current of 16A and a voltage of 250V and insertion operation. The covers of this socket outlet also include the child protection function and support a cable section of 2.5 mm with stripped wiring of 13 mm. It can be located in places with a temperature of between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. It measures 64x65 mm and must be cleaned with a soft cloth slightly moistened in soapy water, without having to use abrasive cleaners with chlorine. It is made of metal components with halogen-free insulation and trim made of metallised thermoplastic, and its manufacturing complies with regulations UNE 20315-1-1:2009, UNE 20315-1-2:2009.

FINISH

Aluminium

COMPATIBILITY

Simon 31 frames

PACKAGING CONTENTS

Socket outlet with cover

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP21

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Schuko

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053071687

PACKAGING VOLUME
3.027

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.11

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
1.1

PRODUCT NET WEIGHT
0.11

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM