
Spare part square sealing gasket for IP66 watertight floor box with 1 Simon K45 mechanism

REF. **KFS1002**



BASIC INFORMATION

DESCRIPTION

The square sealing gasket for the IP66 version of the Simon K45 series has dimensions of 130 x 130 x 2 mm. With a very innovative design thanks to the avant-garde lines that define its shape, we are looking at a product intended as a replacement for the square sealing gasket that fits between the housing and the device mounting unit. The mounting unit is not included. The self-extinguishing, halogen-free thermoplastic is the compound used to manufacture its resistant and durable structure. This material ensures no flame propagation in the event of a fire and low toxicity in case of smoke emission, making it one of the safest elements in this range. All of this is offered at the best value for money available today in the sector of products intended for electrical installations in homes and businesses.

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING
IP66

KIT AVAILABILITY
Yes

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (ºC)
+650 ºC (according to standard IEC 60670)

REMOVAL OF THE FRAME
Only with tool

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN 60670-23:2008|EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053380390

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.005

PRODUCT NET WEIGHT
0.005

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053380390

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
10

PACKAGING WIDTH
155

PACKAGING LENGTH
230

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
356500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.005

PACKAGING NET WEIGHT
0.005

PACKAGING WEIGHT UNIT
KGM


109,8 mm
109,8 mm