

IP44 socket base with cover, earthing, and Schuko protection 2P+T 16A 250V~ with Push&Go mounting system graphite Simon 24 Harmonie

REF. 2420448-038



BASIC INFORMATION

FINISH

Graphite

ETIM CLASS

EC000125

TECHNICAL INFORMATION

FORMAT

Schuko

IP RATING

IP44

NOMINAL VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7021

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Push&Go

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053326756

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.065

PRODUCT NET WEIGHT

0.065

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053326763

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

93

PACKAGING WIDTH

91.1

PACKAGING LENGTH

333

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2821275.9

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.412

PACKAGING NET WEIGHT

0.325

PACKAGING WEIGHT UNIT

KGM