

Rotary switch 4 positions 10A 127V~ Simon 82

REF. 82233-69



BASIC INFORMATION

FINISH

Wood

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

IP RATING

IP20

VOLTAGE (V~)

127 V~

CURRENT (A)

10 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

7506020305383

PACKAGING VOLUME

0.341

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

59

PACKAGING GROSS WEIGHT

0.046

UNITARY PACKAGING GROSS
WEIGHT

46

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

46

PRODUCT NET WEIGHT

46

PACKAGING LENGTH

76

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa, Chasis y Perilla NO incluidos

DIAGRAMA DE CONEXIÓN

