

Extension 1.5 metres for aluminium column with 2 sides white Simon 500 Cima

REF. 53555203-030



BASIC INFORMATION

DESCRIPTION

Model of element for Pole for fastening reference 53555203-030, is part of the range of products and Professional components of the Simon 500 Cima series, suitable for Different working environments and installations professionals and domesticas. It is an extension of 1.5 Meters for pole for fastening to the ceiling, with the maximum guarantees of solidity and Versatile for different systems for fastening. Manufactured in aluminium material, Is finished in white colour and tone. Measures 1500 x 110 x 127 mm, suitable For elements of different kinds of surfaces and environments. Work professionals.

FINISH

White

MATERIAL

Aluminium

COMPATIBILITY

Simon 500 Cima, Simon 27 Play/Simon K45 (using adaptor) mechanisms and universal Simon mechanisms in combination with the universal box designed specifically for columns.

PACKAGING CONTENTS

Extension and installation manual

ETIM CLASS

EC000795

REMARKS

To ensure the robustness of the total structure, it is only possible to combine one extension per column

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1 and 2 sides

MAX TEMP DURING CONSTRUCTION WORK (°C)

+120 °C

EARTHING RESISTANCE

< 0.05 Ohms

ELECTRICAL PROPERTIES

With electrical continuity

ELECTROMAGNETIC IMMUNITY FOR VDM WIRING

Secured with the metal divider
guide supplied in the column.

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do
not use abrasive cloths or
cleaning products that contain
chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-25 to +120 °C

RAL

9003

VERSION

2 sides

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF COVER

Only with tool

TYPE OF FASTENING

Using connecting pins

INSTALLATION DIRECTION

Vertical, corresponding with the
direction of the mechanisms

INSTALLATION TYPE

Suitable for installing in any floor
type, raised or concrete. Column
secured by applying pressure to
the ceiling slab using a
telescopic guide.

REMOVAL OF TRIM FRAMES

Only with tool

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053101926

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053101926

PACKAGING VOLUME

0.497

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

3006

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

119

PACKAGING NET WEIGHT

7.7

UNITARY PACKAGING GROSS
WEIGHT

7.7

PACKAGING LENGTH

139

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

7.7