

Voice and data angled plate with dust cover for 1 element for 2 RJ45 connectors black Simon K45

REF. KB80/14



BASIC INFORMATION

DESCRIPTION

It is a plate of voice and data tilted plate with dust shutter of 1 element for 2 RJ45 connectors. The article has a black finish, a colour that adapts perfectly to all kinds of environments, its dimensions are 45x45 mm and a depth of 25 mm. This angled plate is suitable both for surface and flush mounting and is in compliance with the regulations. Its manufacturing material is halogen-free thermoplastic, which has the advantage that it is 100% safe in case of fire, as it guarantees no flame spread in case of fire and a minimum toxicity in case of smoke. The article is included in the Simon 27 series, a collection in which we find different models of panels and connectors with the aim of facilitate the workplace solutions in the different environments. With respect to the maintenance of this product, it is best to use a dry, soft textured cloth.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Inclined voice and data plate with dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

SNAP-FIT RJ45 PLATES

According to combined MD module

DUST PROTECTION

Yes

SNAP-FIT TYPE

According to combined MD module

FORMAT

RJ45

NUMBER OF MODULES

Half

VERSION

Single

PLATE TYPE

Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface and flush mounting

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
73603

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.012

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8426436017924

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.24

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM