

Trim plate for 1 quick connection connector with 5 poles male or female for 2 elements white Simon K45

REF. K18W5/9



BASIC INFORMATION

DESCRIPTION

Trim plate for one quick-connection connector (which is not included) of 5 male or female poles, 2 elements, in white colour and belonging to the series Simon K 45. It measures 45 x 90 x 8.5 mm depth and is perfect for both surface and flush mounting in rooms with a temperature between -5 and over 60 ° C, which make it a perfect plate for any place, whatever the climate. Designed according to UNE -s 60670-1:2006, this plate has been manufactured in halogen-free thermoplastic, which makes it a very safe plate, as it prevents flame spread (in case of fire) and a high level of toxicity (in the event of smoke). Its cleaning is quite simple, just use a soft, dry cloth and forget you of permeate with any abrasive cleaner containing chlorine in its formula.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 housing for mounting on the wall, floor, ceiling and furniture.

PACKAGING CONTENTS

Plate for one 5-pole quick connection connector

ETIM CLASS

EC000011

REMARKS

Connector not included (to be purchased separately). If using another quick connect brand, the plate is compatible with the leading manufacturers (Wieland®, Wago®, etc). To fix the connector to the plate correctly, the clips must be between 1.5 and 2 mm thick.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

KIT AVAILABILITY

No

NUMBER OF MODULES

1 module

FORMAT

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60535:2009 A1:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.02

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436037687

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.2

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.2

UNITARY PACKAGING GROSS
WEIGHT

0.02

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140