

Flat voice and data plate with dust cover 1 element for 1 RJ45, compatible other manufacturers white Simon 500 Cima

REF. 50000085-030



BASIC INFORMATION

DESCRIPTION

If we want to avoid accidents in electronic systems we need in the accessories you of the Simon 500 Cima range. In this series stands out the flat plate for voice and data with dust cover an element for an RJ45 connector in white finish of the Simon 500 Cima series This piece, whose dimensions are 50 x 50 x 11 mm, it is compatible with other manufacturers. The component halogen-free thermoplastic with which it has been designed guarantees no flame propagation in case of fire and the low toxicity in case of smoke, so it is one of the most demanded accessories for installation in public and private buildings with a lot of people throughout the day. Suitable for surface-mounted and recess, the plate includes clips for fastening in vertical and horizontal enclosures without the need for an adaptor.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Plate for 1 and 2 RJ45

COMPATIBLE WITH CONNECTORS

Simon®, ADC Krone® KM8 Keystone Series, AMP netconnect® Serie Standard 110, SL110, SL Tool less, 216000 and 216005, BeldenCDT® GigaFlex Keystone Series, Brand-Rex®, Ersys®, General Cable®, Molex®, Panduit® Netkey Series, Ortronics® Clarity TechChoice Keystone Series, Rit®, Systimax® and manufacturers of RJ45 with Keystone I and II format snap fitting.

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

DUST PROTECTION

Yes

DUST SHUTTER

Yes

FORMAT

RJ45

IP RATING

IP20

KIT AVAILABILITY

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

PLATE TYPE

Flat

RAL

9003

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

Keystone I, II, ATT®/Avaya®

SNAP-FIT TYPE

Keystone I, II, ATT®/Avaya®

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053254486

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.014

PRODUCT NET WEIGHT

0.014

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053095324

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

88

PACKAGING WIDTH

123

PACKAGING LENGTH

136

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.472

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

318

PACKAGING NET WEIGHT

0.28

PACKAGING WEIGHT UNIT

KGM



