
Custom button box 2 functions for lighting control cold aluminium Simon 82 Sense

REF. **8000625-093**



BASIC INFORMATION

FINISH
Matt aluminium

MATERIAL
Thermoplastic

PACKAGING CONTENTS
Keypad and instructions

REMARKS
Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

TYPE OF MECHANISM
Touch

NUMBER OF POSSIBLE ELEMENTS
1 element

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (ºC)
0 - 45 ºC

INDICATOR FUNCTION
Yes

POWER SUPPLY (V~)
24 Vdc

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION
Por inserción

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053128558

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.033

PRODUCT NET WEIGHT
0.033

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053128558

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
26

PACKAGING WIDTH
58

PACKAGING LENGTH
86

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
129.688

PACKAGING VOLUME UNIT
CMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.033

PACKAGING WEIGHT UNIT
KGM