

**Front kit for 3 elements with 2 German socket outlets and
1 single R/TV+SAT socket with 1 RJ45 connector gloss white
Simon 100**

REF. 10020303-130



BASIC INFORMATION

DESCRIPTION

Front kit designed to occupy 3 elements with 2 Schuko plug bases and 1 single R-TV + SAT socket with 1 RJ45 connector. It is white in colour, with a glossy finish and is part of the Simon 100 series. The type of embossing it is done by means of a cut, with a simple click. The connection of the R-TV + SAT socket must be screwed in. This kit is suitable for installations up to 16 A of intensity for the plug, and R-TV + SAT sockets to the current ICT regulation.

It is a device that has a type of operation by rocker and insert. It is ready to operate with a voltage of 250 V ~. In addition, for good maintenance, it requires a temperature range of 5 to 40° C for its operation and a temperature range of -25 to 50° C for its storage.

For its development, it has followed regulations 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50083-2: 2012 * 4 + EN 50581: 2012 + IEC 60603-7-4: 2010 * 5 + IEC 60884-1 Ed. 3.2 * 1.

FINISH

Gloss white

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

3 elements

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

3 elements

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL

CONNECTION - FUNCTION 2

R-TV+SAT: Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012*4 + EN 50581:2012 + IEC 60603-7-4:2010*5 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146194

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053146194

PACKAGING VOLUME

480295.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0.132

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

226

PACKAGING NET WEIGHT

0.132

UNITARY PACKAGING GROSS WEIGHT

0.132

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.132