

Switch for blinds 10A 250V~ with 3 positions: up, down and stop ivory Simon 27 Play

REF. 27333-62



BASIC INFORMATION

DESCRIPTION

The switch for blinds, Simon 27 Play, with an ivory finish and in its individual version with one element, it comes with three positions: Raise, lower and stop. Allows a simple control of blinds in the home. Its reference is 27333-62. Its voltage is 250 VAC and its current of 10A It has a type of quick terminal connection and a rocker operation. The rockers, covers and plates are presented with an engraving of the raising, lowering and stopping to differentiate between each operation. The mechanism has a cable section between 1.5 to 2.5mm. The stripping required wire is 11mm. It measures 45x45mm. It has several manufacturing materials, with metal components with halogen-free insulation and thermoplastic trim.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mechanism with rocker

ETIM CLASS

EC000044

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

LATCH TYPE

Mechanical

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

CURRENT (A)

10 A

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053251997

UNITARY PACKAGING HEIGHT

22.8

UNITARY PACKAGING WIDTH

39.2

UNITARY PACKAGING LENGTH

46

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.041

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.04

PRODUCT NET WEIGHT

0.026

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053080818

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

50

PACKAGING WIDTH

105.4

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.159

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.4

PACKAGING NET WEIGHT

0.26

PACKAGING WEIGHT UNIT

KGM