

Single rocker with bell symbol for push button white Simon 75

REF. 75017-33



BASIC INFORMATION

DESCRIPTION

This is an individual rocker with bell symbol for push-button switch. Of the Simon 75 series, has 6 different finishes, it is recommended to choose frames with the same colour of the selected rocker. It can be installed in 2 different ways, surface mounting or flush mounting. The most common temperature ranges of the individual rocker with light symbol are 5 to 40° with a limit ranging from -25 to 50°. This type of rocker applies the current regulation. The main manufacturing material is thermostable with a matt aluminium and plastic finish. The rocker with viewer and bell engraving is of individual version, it also contains an element, but not modules. This model does not include the signaling function, in addition this model of rocker includes the bell engraving. It is recommended for the correct maintenance of the rocker with viewfinder and engraving to use a soft cloth slightly moistened in soapy water to clean it properly.

FINISH

Matt aluminium

MATERIAL

Thermoplastic,Aluminium

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

Bell

COMPATIBILITY

Simon 75 and Simon 77 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053002629

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

5

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.09

UNITARY PACKAGING GROSS WEIGHT

0.018

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.09

PRODUCT NET WEIGHT

0.018

PACKAGING LENGTH

221

PACKAGING WEIGHT UNIT

KGM