

French socket outlet 16A 250V~ with screw terminal connection system Simon 73

REF. 73458-39



BASIC INFORMATION

DESCRIPTION

The maximum adaptability and the maximum versatility come together in this Simon series, the Simon 73 Loft series, designed to installations of trunking and surface-mounted. All the products in this series facilitate a quick assembly and secure installation, in addition to the corresponding appearance that Simon always takes care of. And, of course, a wide range of functions of all kinds to surface-mounted. This French socket outlet, which has a resistance to elements of up to 16 Amps and 250 Volts, with screw terminal connection and always, the covers include the child protection function, an extra security against tampering of children and that will bring the peace of mind that you need when your children are moved freely by the rooms of your home. The wire cross-section is 2.5 millimetres, something which must be taken into account before purchasing the product (stripping of wire 15 millimetres). In its manufacture are tapped the best metal components with thermoplastic insulation and halogen-free.

COMPATIBILITY

Simon 73 Loft and Simon 73 frames

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

NOMINAL VOLTAGE (V~)

250 V~

CABLE SECTION ADMITTED (MM)

2,5 mm

CURRENT (A)

16 A

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

French

TYPE OF MECHANISM

Insertion

VERSION

Single

MONOBLOCK

No

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION TYPE

Suitable for surface mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.033

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

1201200

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053039205

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

1201200

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.325

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

52

PACKAGING NET WEIGHT

0.33

UNITARY PACKAGING GROSS

WEIGHT

0.033

PACKAGING WIDTH

105

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

220