

Flat voice and data plate with dust cover for 1 RJ45 ITT Cannon® for 1 element white Simon 500 Cima

REF. 50016085-030



BASIC INFORMATION

DESCRIPTION

Element of plate for Voice and data connections number 50016085-030, is part of a set of products and Professional all the components of the range Simon 500 Cima, adaptable to all types of Systems and installations professionals and environments. Voice and data plate Flat format with dust cover with 1 element for 1 RJ45 connector of category 5e UTP With snap-fit ITT Cannon ® element of easy assembly and fastening. It is A model that presents colour and shades in their finishes in white, integrated components Components with self-extinguishing thermoplastic insulation, halogen-free, Minimising the risk in situations of the flame or smoke. Allows the fastening In vertical and horizontal enclosures without the need for an adaptor has a. Dimensions of 50 x 50 x 11 mm and a depth of 11 mm, being a piece Adaptable to different kinds of environments work and in different systems I installations professionals.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

ITT Cannon® RJ45 connectors.

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

ITT Cannon® RJ45 connectors

SNAP-FIT TYPE

ITT Cannon® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053096901

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS
WEIGHT

0.017

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.17

PRODUCT NET WEIGHT

0.017

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

