

Quick connection patch cord female-male RZ - 0.6 kV 3-pole with 2 meters length in halogen-free material with cross-section of 3 x 2.5mm² red

REF. CR2020/6



BASIC INFORMATION

FINISH

Black/Red

MATERIAL

Plastic,PVC

COMPATIBILITY

Flexible connection system and
SIMON 400

ETIM CLASS

EC002587

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

IP RATING

IP20

RAL

3015

CONNECTOR TYPE

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

No tools needed

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
0.344

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
8.95

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8426436055094

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0.3

UNITS CONTAINED PACKAGING
5

PACKAGING GROSS WEIGHT
0.34

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
170

PACKAGING NET WEIGHT
1.72

UNITARY PACKAGING GROSS
WEIGHT
0.344

PACKAGING WIDTH
195

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
270