

# Module for 1 RJ45 BeldenCDT® (Nordx®) in angled voice and data plates

REF. MD68



## BASIC INFORMATION

### DESCRIPTION

Module for 1 RJ45 from BeldenCDT® (Nordx®) of the Simon 500 Cima series has been exclusively designed to be combined with angled voice and data plates, making it is also compatible with the elements of the collection Simon K45. This mechanism offers dimensions of 32x20x10 mm and a thickness of 10 mm, it is best to its construction with halogen-free thermoplastic materials in order to ensure the no-propagation spread in case of fire, and toxicity minimum of smoke. If you are looking for safe and advanced solutions for your home, without doubt you fall in love our collection Simon 500 Cima, as it offers the maximum security in mechanisms for the home, and that is that, thanks to the properties self-extinguishing of our elements, you will enjoy your home with total tranquility. Trust/Confident in our professionals and neglect of all.

### COMPATIBILITY

Simon 500 Cima and Simon K45 angled voice and data plates

### PACKAGING CONTENTS

MD Module for 1 RJ45

### ETIM CLASS

EC002948

### REMARKS

The MD Module can only be combined with angled voice and data plates (flat voice and data plates include the MD Module on the plate itself).

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### AVAILABLE IN

MD Module for 1 RJ45

### COMPATIBLE WITH CONNECTORS

BeldenCDT® GigaFlex series  
MDVO

### RJ45 CONNECTORS

Not included in the MD Module

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

### FORMAT

RJ45

### KIT AVAILABILITY

No

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

### SNAP-FIT RJ45 PLATES

BeldenCDT® RJ45 connectors

### SNAP-FIT TYPE

BeldenCDT® RJ45 connectors

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical, corresponding with the MD Module fastening slots

### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.002	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 455000
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8426436025400	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING VOLUME 9100	UNITS CONTAINED PACKAGING 50	PACKAGING GROSS WEIGHT 0.1
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING HEIGHT 65	PACKAGING NET WEIGHT 0.1
UNITARY PACKAGING GROSS WEIGHT 0.002	PACKAGING WIDTH 70	PACKAGING WEIGHT UNIT KGM
	PACKAGING LENGTH 100	