

Frame and frame holder for surface mount and flush mount wall box for 1 element black Simon K45

REF. KR245/14



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Simon K45 functions

ETIM CLASS

EC000007

MATERIAL

Plastic

PACKAGING CONTENTS

Wall frame for surface-mounted or flush-mounted box and frame holder

REMARKS

The article includes frame holder with housing for fitting onto a universal flush-mount box

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INSULATION RESISTANCE (V-MΩ)

>5M? At 500 V

NUMBER OF MODULES

1 wide module

AVAILABLE IN

1 and 2 elements

IP RATING

IP4X

RAL

7021

DIELECTRIC STRENGTH

Without perforation or
contournement with 2000 V at
50H during 1 minute

KIT AVAILABILITY

No

RECESS DIMENSION (MM)

75 x 70 mm

MAX TEMP DURING CONSTRUCTION WORK (°C)

+90° C

MAINTENANCE

Clean with a soft, dry cloth. Do
not use abrasive cloths or
cleaning products that contain
chlorine.

VERSION

1 element

HEAT RESISTANCE (°C)

+70°C (in accordance with IEC
60670-1:2006)

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

INSTALLATION TYPE

Suitable for installing flush-
mounted into wall or on the
base of the surface-mounted
wall box

EXTINGUISHING (°C)

+650 °C / 30 seconds (GWFI
according rule IEC 60695-2-11)

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF FASTENING

Through direct snap-fit on to
frame holder supplied (does not
require the use of tools for
fastening)

INSTALLATION DIRECTION

Horizontal, Vertical

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.029

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3325000

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436050655

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

60361

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.62

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING HEIGHT

100

PACKAGING NET WEIGHT

0.58

UNITARY PACKAGING GROSS WEIGHT

0.029

PACKAGING WIDTH

190

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

175