Low surface-mount box for 2 elements graphite Simon 82

REF. **82760-38**



BASIC INFORMATION

FINISH
Graphite

MATERIAL
Plastic

COMPATIBILITY
Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS
Surface-mount box with 2 elements

ETIM CLASS
EC000080

REMARKS
Use high box if installing socket outlets. It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2 and 3 elements

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (ºC)
5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)
-25 - 50 ºC

VERSION
2 elements

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface mounting

REGULATIONS

REGULATIONS
UNE-EN 60670-1:2006

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053261255

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.084

PRODUCT NET WEIGHT
0.084

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053025376

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
91

PACKAGING WIDTH
147

PACKAGING LENGTH
166

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2220582

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.42

PACKAGING NET WEIGHT
0.42

PACKAGING WEIGHT UNIT
KGM