

Strip of LED Current Stabilizer 4000K IP20

REF. 81086000-984



BASIC INFORMATION

APPLICATION

General lighting, Indoor
decorative lighting

ETIM CLASS

EC002706

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TEMPERATURE (K)

4000 K

LUMENS/W

8000

OPERATING TEMPERATURE RANGE (°C)

-20 - 40 °C

CRI

80

OPTICS

General

LUMENS (LM)

8000 lm

POWER (W)

16 W

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Hardware

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053231005

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

250

UNITARY PACKAGING LENGTH

215

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.16

PRODUCT NET WEIGHT

0.16

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053231005

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

0

PACKAGING WIDTH

250

PACKAGING LENGTH

215

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.16

PACKAGING NET WEIGHT

0.16

PACKAGING WEIGHT UNIT

KGM