

Spotlight DROP Mini 3000 K Flood On Board Dimmer Black

REF. 91891612-388



BASIC INFORMATION

DESCRIPTION

SIMON and all its ranges offer maximum versatility and freedom creative when designing spaces playing with light, creating surprising effects and the best atmospheres lighting to create spaces that is completely cosy, warm tones. One of the ranges that incorporates is DROP, with spotlights that offer functionality as a single modular systems and to guide the luminaire, because it allows to orient her in any direction to our taste: High performance to save space and being able to highlight the elements or zones we want to in the room.

Here we are pleased to present another of the products that incorporates the range DROP: This spotlight DROP mini colour temperature 3000 K. Its warmer tones are almost calendar, sharpest, thanks to its high colour rendering index CRI > 90. It is of type Flood optics and the control system and dimming, On board dimmer. Finished in black colour (also available in white).

Ref: 91891612-388.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

NW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1020 lm

RAL

9005

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

3000 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Flood 31°

L90 (°C)

40000h at 25°C


POWER (W)

13.5 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049547

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547049547

PACKAGING VOLUME

4452120

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

180

PACKAGING NET WEIGHT

0.4

UNITARY PACKAGING GROSS
WEIGHT

0.58

PACKAGING LENGTH

298

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.4