

Plate for R/TV inductive sockets white Simon 75

REF. 75053-30



BASIC INFORMATION

DESCRIPTION

Plate in white colour, of the Simon 75 series, for inductive sockets of R-TV. This plate complies with the regulation UNE-EN 50083-2: 2013 and is manufactured in thermoplastic. It can be installed in rooms with a temperature located between 5 and 40°C, although it is able to withstand extreme temperatures of -25 to 50°C, approximately. It can also be position, place both recessed and surface-mounted. Its cleaning is quite simple and is that, in order to keep her in perfect condition, it will only need a cloth, slightly moistened cloths in soapy water, without having to use never or abrasive cleaners or cloths that contain chlorine in its formula. The Simon 75 series makes the habitability of your home improve because it offers a wide range of options to suitably equip each space of your home, which is why so that it can be said that the Simon 75 series is a precise answer to the new market demands.

FINISH

White

MATERIAL

Thermostable

PACKAGING CONTENTS

Plate

SYMBOL

R-TV+SAT

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000018

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the rocker. (Only for replacement)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

R/TV

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 | EN 50083-2:2012 A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053003107

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.48

UNITARY PACKAGING GROSS
WEIGHT
0.024

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.48

PRODUCT NET WEIGHT
0.024

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM