

Frame for 2 elements graphite aluminium base Simon 82 Detail Select

REF. 8201620-240



BASIC INFORMATION

FINISH

Graphite/Aluminium

MATERIAL

Plastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 2 elements

ETIM CLASS

EC000007

REMARKS

It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE	UNITARY PACKAGING WEIGHT	UNITS CONTAINED PACKAGING
8421053114933	UNIT	1
	KGM	
UNITARY PACKAGING GROSS WEIGHT	UNITARY PACKAGING WIDTH	PACKAGING MEASUREMENT UNIT
0.18	0	MMT
UNITARY PACKAGING HEIGHT	PACKAGING EAN	PACKAGING VOLUME
0	8421053114933	188100
UNITARY PACKAGING LENGTH	PACKAGING GROSS WEIGHT	PACKAGING VOLUME UNIT
0	0.18	MMQ
PRODUCT NET WEIGHT	PACKAGING HEIGHT	PACKAGING WEIGHT UNIT
0.18	12	KGM
UNITARY PACKAGING VOLUME	PACKAGING LENGTH	PACKAGING WIDTH
0	165	95
	PACKAGING NET WEIGHT	
	0.18	