

Flat voice and data plate with dust cover for 2 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. 50019089-030



BASIC INFORMATION

DESCRIPTION

Simon, we present this plate for voice and data connections of the collection 500 Cima. This collection is one of the workplace solutions with Simon, designed to improve and facilitate the workplace solutions electrical, voice, data and multimedia connections. The plate with dust cover, it has a flat plate and finished in white colour. It is an element and has two connectors RJ45 Panduit and its module adaptable, which is also included. Also, it is the snap-fit to be bonded to wrappers both horizontal and vertical, without the need for adapter. In this modern series 500 Cima it has a click terminal connection, reducing the installation time by nearly 50% and making the use of tools is almost Null. It also has new plates category 6, a greater space for the cabling and it is undoubtedly one of the best solutions for quick connections and ensure transmissions.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

Panduit® Mini-Com Series.

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

RJ45 Panduit® connectors

SNAP-FIT TYPE

RJ45 Panduit® connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053097168

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.031

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.31

PRODUCT NET WEIGHT

0.031

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

