

## Custom button box 2 functions for blinds control white Simon 82 Sense

REF. 8000624-030



### BASIC INFORMATION

#### FINISH

White

#### PACKAGING CONTENTS

Keypad and instructions

#### MATERIAL

Thermoplastic

#### ETIM CLASS

EC000205

#### REMARKS

Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### NUMBER OF POSSIBLE ELEMENTS

1 element

### INDICATOR FUNCTION

Yes

### CURRENT (A)

6,2 mA

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Touch

### OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

### POWER SUPPLY (V~)

24 Vdc

### RELATIVE HUMIDITY

From 20 to 85% (without condensation)

### SLIDE CONTROL

No

### SOUND FEEDBACK

Yes

### STORAGE TEMPERATURE RANGE (°C)

25 - 70 °C

### VIBRATION FEEDBACK

Yes

## INSTALLATION AND MAINTENANCE

### BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053129586	UNITARY PACKAGING GROSS WEIGHT 0.033	PACKAGING LENGTH 150
UNITARY PACKAGING HEIGHT 77	PRODUCT NET WEIGHT 0.033	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 137	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 129.688
UNITARY PACKAGING LENGTH 137	PACKAGING EAN 8421053129586	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 1	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING VOLUME 1445213	PACKAGING HEIGHT 165	PACKAGING NET WEIGHT 0.033
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 130	PACKAGING WEIGHT UNIT KGM