

Plate for R/TV inductive sockets aluminium Simon 75

REF. 75053-33



BASIC INFORMATION

DESCRIPTION

The innovation of the plate for R-TV + SAT inductive sockets Simon 75 graphite. It can be installed in 2 different ways, by surface mounting or flush mounting and you can also choose between the six finishes available that we put at your disposal. The most common temperature ranges of the plate for R-TV + SAT inductive sockets are 5 to 40° with a limit ranging from -25 to 50°. This type of plate applies UNE-EN 50083-2: 2013. The main manufacturing material is thermoplastic with a graphite plastic finish. The mechanism of the R-TV + SAT inductive sockets is of individual version, it does not contain any module but an element. This model includes R-TV + SAT engraving but not signaling function. For the correct maintenance of the plate for inductive sockets, it recommended to use a soft cloth slightly moistened in soapy water to clean it properly.

FINISH

Matt aluminium

MATERIAL

Thermoplastic,Aluminium

PACKAGING CONTENTS

Plate

SYMBOL

R-TV+SAT

COMPATIBILITY

Simon 75 mechanisms

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker. (Only for replacement)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

R/TV

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 | EN 50083-2:2012 A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.022

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053003121

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.445

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.22

UNITARY PACKAGING GROSS
WEIGHT

0.022

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221