

## Surface wall box Cima Pro of 3 double elements aluminum Simon Cima Pro

REF. SBC300/8



### BASIC INFORMATION

#### FINISH

Aluminium

#### MATERIAL

Plastic

#### COMPATIBILITY

With Simon Cima and Simon 27  
Play/Simon K45 mechanisms (via  
adapter)

#### ETIM CLASS

EC002600

## TECHNICAL INFORMATION

### HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

### IK CLASSIFICATION

07

### KIT AVAILABILITY

No

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM

2

### RAL

9006

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS

Only with tool

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### REMOVAL OF THE FRAME

Only with tool

### INSTALLATION DIRECTION

Horizontal, Vertical

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8426436045590

### PRODUCT NET WEIGHT

0.44

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

2115750

### UNITARY PACKAGING WIDTH

0

### PACKAGING EAN

8426436045590

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING GROSS WEIGHT

0.44

### UNITARY PACKAGING VOLUME

0.3

### PACKAGING HEIGHT

65

### PACKAGING NET WEIGHT

0.44

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

155

### PACKAGING WEIGHT UNIT

KGM

### UNITARY PACKAGING GROSS WEIGHT

0.44

### PACKAGING LENGTH

210