

LED EMERGENCY LIGHT 280 LUMENS BATTERY-POWERED IP65 SIMON

REF. IL414101



BASIC INFORMATION

DESCRIPTION

The Simon 280-lumen LED emergency light provides reliable illumination in critical situations, offering 3 hours of autonomy and IP65 protection for indoor and outdoor use. It features a long-lasting 3.2V 1500mAh LiFePO4 battery with a full 24-hour charging cycle, maintained/non-maintained mode, and an LED indicator that displays the charging status. Its robust ABS+PC design, suitable for wall, ceiling or recessed installation, makes it ideal for commercial buildings. Operating at 220–240V, it includes a high-efficiency SMD LED chip and delivers a cool 6500 K light.

FINISH

White

APPLICATION

Commercial areas

MATERIAL

ABS Plastic

PACKAGING

Box

REMARKS

Disconnect the power supply before installation. The LED indicator lights up green while the battery is charging. Suitable for wall, ceiling or recessed mounting. Do not use outside the 0–40 °C temperature range. Recommended for commercial buildings.

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

MAXIMUM POWER (W)

4

VOLTAGE (V~)

220/240 V~

IP RATING

IP65

POWER SUPPLY (V~)

220/240 V~

LOGISTICS INFORMATION

UNITARY EAN CODE

8412852984179

UNITARY PACKAGING GROSS WEIGHT

0.5

PACKAGING LENGTH

270

UNITARY PACKAGING HEIGHT

49

PRODUCT NET WEIGHT

0.45

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

127

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

7722000

UNITARY PACKAGING LENGTH

250

PACKAGING EAN

18412853012038

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

4

PACKAGING GROSS WEIGHT

2.1

UNITARY PACKAGING VOLUME

1439375

PACKAGING HEIGHT

260

PACKAGING NET WEIGHT

1.8

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

110

PACKAGING WEIGHT UNIT

KGM

simon

