# Push-button switch with bell symbol 10A 250V~ and fast terminal connection system white Simon 31

REF. **31650-30**



## BASIC INFORMATION

### DESCRIPTION

Between the control mechanisms of the Simon 31 series products are really versatile. This is the push-button switch with bell engraving, 10A / 250V. has a quick terminal connection system and a rocker operation. Commitment to a discreet and simple white in colour finish, which gives it a perfect appearance. Simon 31 the buttons are available in a total of five finishes, so it is recommended to use the frames Simon of the same colour as the rocker selected. In this case, it would be perfect to use a frame in white finish. With measures of 64 x 65 millimetres, this is the individual version, for one element and two modules. The push-button switch is made with metal components isolated thermoplastically and free of halogens. The trim, on the other hand, it is thermostable. This type of materials increase safety in its use. The wire that supports the push-button switch Simon 31 is from 1.5 to 2.5 millimetres and the stripping of wire necessary is 11 millimetres.

### FINISH

White

### PACKAGING CONTENTS

Mechanism with rocker

### COMPATIBILITY

Simon 31 frames

### ETIM CLASS

EC000029

### REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### NOMINAL VOLTAGE (V~)

250 V~

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### TYPE OF MECHANISM

Pivoting

### VERSION

Single

### INDICATOR FUNCTION

No

## INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
11

INSTALLATION TYPE
Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

## REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.078

PRODUCT NET WEIGHT
0.078

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053006412

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.78

PACKAGING NET WEIGHT
0.78

PACKAGING WEIGHT UNIT
KGM