

PVC trunking of 2m 130x55mm with 2 compartments for K45 functions in white color

REF. TK12102/9



BASIC INFORMATION

DESCRIPTION

PVC channel 2m long and a section of 130x55mm, with 2 front compartments capable of mounting all functions of the K45 range without the need for accessories, achieving significant time savings in assembly. Regardless of the designed structure, it ensures the electrical wiring is isolated from voice, data, and multimedia, as well as maintaining its correct bending radius throughout the distribution. It adapts to different architectures through its installation accessories, with the possibility of diverging to Mini-channel and Cable guide via the pre-punched line. Made of high-quality PVC in RAL 9003 color, it features an IP4X protection rating. We are talking about a fireproof, self-extinguishing, and flame-retardant material. The indicated price is per meter and is supplied in batches of 6 units (12 meters in total)

FINISH

White

COMPATIBILITY

Functions K45

MATERIAL

PVC

ETIM CLASS

EC001938

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

RAL

9003

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

SECURING POSSIBILITIES

With slots every 25cm for screw access

REMOVAL OF COVER

Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8426436028005

PACKAGING VOLUME
60256600

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
12

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
190

PACKAGING GROSS WEIGHT
19.5

UNITARY PACKAGING GROSS
WEIGHT
1.625

PACKAGING WIDTH
157

PACKAGING NET WEIGHT
19.5

PRODUCT NET WEIGHT
1.625

PACKAGING LENGTH
2020

PACKAGING WEIGHT UNIT
KGM