

## Spotlight 740.01 Rail 4000K Spot CR90 Black

REF. 74001038-294



## BASIC INFORMATION

### DESCRIPTION

The 740.01 Rail Spotlight 4000 K Spot CR90 Black is a spotlight that has one of its main features with a colour temperature of 4000 K, something that allows you to send a light white neutral type stylish and attractive for all types of spaces. Its Spot category optics allow you to enjoy an angle of opening the light beam of 15 ° maximum.

It is a spotlight sensitive to any contact with the water, as indicates its IP rating of 20. Its installation of type rail contributes to minimize the time and the efforts used in its placement, regardless of the type of space involved. No we must not to mention the luminaire has a service life of 30000 hours of lighting at a constant temperature, something which guarantees its durability in the long term.

We are also looking at one of the spotlights with the highest CRI, and that is that the colour rendering index is 90 about 100, a data of the most powerful in the industry. In terms of its appearance this spotlight is a stylish black and discreet colour with textured paint of great quality to dust and resistant to the passage of time.

### APPLICATION

Accent lighting, General lighting

### ETIM CLASS

EC001744

### REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

## TECHNICAL INFORMATION

### IP RATING

IP20

### COLOR TYPE

NW

### OPTICS

Spot

### COLOR TEMPERATURE (K)

4000 K

### LIGHTING EFFICIENCY (LM/W)

77,5 lm/W

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### CRI

90

### LUMENS (LM)

1550 lm

### POWER (W)

20 W

### L70 (°C)

30,000 h at 25 °C

### LUMENS/W

1550lm/20W

### SERVICE LIFE

30 000 h

### CHROMATICS CRI ICONS

CRI  
90

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Rail

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8421053215562

PACKAGING VOLUME  
4624000

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
1

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
250

PACKAGING GROSS WEIGHT  
0.8

UNITARY PACKAGING GROSS  
WEIGHT  
0.8

PACKAGING WIDTH  
136

PACKAGING NET WEIGHT  
0.6

PRODUCT NET WEIGHT  
0.6

PACKAGING LENGTH  
136

PACKAGING WEIGHT UNIT  
KGM