


French socket base + 2USB C+C Simon 75

REF. 7541458-039



BASIC INFORMATION

DESCRIPTION

French socket base + 2 USB C+C from the Simon 75 series.

MATERIAL

Metal,Plastic

ETIM CLASS

EC000125

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

1.5 - 2.5

LINKABLE

Yes

CONNECTOR TYPE

French,USB C

MONOBLOCK

No

NUMBER OF CONTACTS

3

NOMINAL VOLTAGE (V~)

230 V~

NUMBER OF POSSIBLE ELEMENTS

1

OPERATING TEMPERATURE RANGE (°C)

0...+35

FORMAT

French,USB C

POWER SUPPLY (V~)

250 V~

FREQUENCY

50 Hz

RECESS DIMENSION (MM)

45

CURRENT (A)

16 A

NUMBER OF SOCKETS

1

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25...+50

USB CHARACTERISTICS

5,0 VDC / 3,0 A / 15,0 W | 5,0 VDC / 3,0 A / 15,0 W | 9,0 VDC / 2,2 A / 19,8 W | 12,0 VDC / 1,7 A / 20,4 W

USB CURRENT (A)

3.0 A

USB PORT TYPE

C

POWER DELIVERY USB

Yes

QUICK CHARGE USB

Yes

USB VOLTAGE (V~)

5/12 V~

VOLTAGE (V~)

230 V~

NUMBER OF WIRES

3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

REMOVAL OF COVER

Only with tool

CLAW

Optional

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME
UNIT

MMQ

UNITARY PACKAGING GROSS
WEIGHT

0

PRODUCT NET WEIGHT

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

0

PACKAGING WIDTH

0

PACKAGING LENGTH

0

PACKAGING MEASUREMENT
UNIT

MMT

PACKAGING VOLUME

0

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0

PACKAGING WEIGHT UNIT

KGM

