

**Voice and data angled plate with dust cover for 1 element  
for 2 RJ45 connectors black Simon K45**

REF. KB80/14



## BASIC INFORMATION

### DESCRIPTION

It is a plate of voice and data tilted plate with dust shutter of 1 element for 2 RJ45 connectors. The article has a black finish, a colour that adapts perfectly to all kinds of environments, its dimensions are 45x45 mm and a depth of 25 mm. This angled plate is suitable both for surface and flush mounting and is in compliance with the regulations. Its manufacturing material is halogen-free thermoplastic, which has the advantage that it is 100% safe in case of fire, as it guarantees no flame spread in case of fire and a minimum toxicity in case of smoke. The article is included in the Simon 27 series, a collection in which we find different models of panels and connectors with the aim of facilitate the workplace solutions in the different environments. With respect to the maintenance of this product, it is best to use a dry, soft textured cloth.

### FINISH

Black

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

### PACKAGING CONTENTS

Inclined voice and data plate with dust cover

### ETIM CLASS

EC000018

### REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

RJ45

### PLATE TYPE

Angled

### AVAILABLE IN

Plate for 1 and 2 RJ45 connectors

### IP RATING

IP20

### RAL

7021

### RJ45 CONNECTORS

Not included in voice and data plate

### KIT AVAILABILITY

Yes

### RJ45 ADAPTOR MODULE

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

According to combined MD module

### DUST PROTECTION

Yes

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### SNAP-FIT TYPE

According to combined MD module

### DUST SHUTTER

Yes

### NUMBER OF MODULES

Half

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### INSTALLATION TYPE

Suitable for surface and flush mounting

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT	PRODUCT NET WEIGHT	PACKAGING MEASUREMENT UNIT
0	0.012	MMT
UNITARY PACKAGING WIDTH	UNITARY PACKAGING WEIGHT UNIT	PACKAGING VOLUME
0	KGM	1472064
UNITARY PACKAGING LENGTH	PACKAGING EAN	PACKAGING VOLUME UNIT
0	8426436017924	MMQ
UNITARY PACKAGING VOLUME	UNITS CONTAINED PACKAGING	PACKAGING GROSS WEIGHT
73603	20	0.24
UNITARY PACKAGING VOLUME UNIT	PACKAGING HEIGHT	PACKAGING NET WEIGHT
MMQ	88	0.24
UNITARY PACKAGING GROSS WEIGHT	PACKAGING WIDTH	PACKAGING WEIGHT UNIT
0.012	123	KGM
	PACKAGING LENGTH	
	136	