

# Ofiblock Compact mounted and wired with 2 sockets and rear diecut in the last position

REF. KFC103020LP1/14



## BASIC INFORMATION

### DESCRIPTION

KIT Ofiblock Compact offering maximum functionality in a compact size. With its minimal depth and wide range of accessories, it is suitable for installation on raised floors, walls, furniture, metallic surfaces with magnets, or on DIN rails. Designed to meet the specific needs of each space, it comes with pre-mounted and pre-wired K45 modules, providing a complete and efficient solution. It includes a side entry with a 3-pole male quick connector (Wieland type) and a rear knockout in the last position for optimal routing of the voice, data, or multimedia cable feeding the K45 module you choose to install. This module is electromagnetically protected and shielded thanks to the included protective tray. Self-extinguishing halogen-free thermoplastic covers protect the space in the event of a fire.

### FINISH

Black

### COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

### ETIM CLASS

EC002759

### REMARKS

Profile with higher compactness to enable convergence of power, voice, data and multimedia solutions with minimal depth

## TECHNICAL INFORMATION

### FORMAT

Schuko

### IP RATING

IP4X

### MONOBLOCK

No

### HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

7021

### CURRENT (A)

16 A

## INSTALLATION AND MAINTENANCE

### EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

### SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

### INSTALLATION DIRECTION

Horizontal, Vertical

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053290361

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.405

### PRODUCT NET WEIGHT

0.405

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053290361

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

60

### PACKAGING WIDTH

55

### PACKAGING LENGTH

230

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

759000

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.435

### PACKAGING NET WEIGHT

0.405

### PACKAGING WEIGHT UNIT

KGM