Adjustable floor box kit for pavement with 3 double elements containing 2 internally wired double sockets and a plate for 2 RJ45 graphite Simon Cima

REF. **KITS370/14**



BASIC INFORMATION

FINISH
Graphite

MATERIAL
Various

COMPATIBILITY
With a plastic and metallic bucket for adjustable floor box of 3 double elements.

ETIM CLASS
EC000024

TECHNICAL INFORMATION

NUMBER OF CLAMP-HOLDER HOLES
8

DUST SHUTTER
Yes

FORMAT
Schuko

HEAT RESISTANCE (ºC)
+125ºC (according rule IEC 60695-10-2)

IK CLASSIFICATION
08

CURRENT (A)
16 A

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MAXIMUM LOAD (KG)
1700kg

PLATE TYPE
Flat

RAL
7021

RECESS DIMENSION (MM)
170 x 210 mm

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
12

REMOVAL OF COMPONENTS
Only with tool

NUMBER OF COVER OPENING POSITIONS
2

EXTINGUISHING (ºC)
+850 ºC / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

REMOVAL OF THE FRAME
Only with tool

CAN BE INSTALLED IN TRAY
Plástica y metálica

REMOVAL OF THE PLATE
Only with tool

REMOVAL OF THE SOCKET
Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436036635

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.595

PRODUCT NET WEIGHT
1.595

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436036635

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
91

PACKAGING WIDTH
189

PACKAGING LENGTH
235

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
4041765

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.6

PACKAGING NET WEIGHT
1.595

PACKAGING WEIGHT UNIT
KGM