

RJ11 telephone socket with 4 contacts ivory Simon 27 Play

REF. 27480-32



BASIC INFORMATION

DESCRIPTION

The telephone socket with 4 RJ11 pins is from the Simon 27 Play series, screw terminal connection and its operation is by insertion. The socket is made up of a module 22.5 x 45 millimetres, and its installation is very simple and can be carried out by means of recessed or surface-mounted directly on. The socket is presented in a beautiful and stylish ivory colour, that endow of sophistication to the room of the home, premises or office is placed. The metal components with halogen-free insulation and thermoplastic trim of the product contribute to extend its service life. This is due to the quality of the materials that ensure a good operation even low temperatures very low and high, ranging from -25 to 50 degrees centigrade. The maintenance of the telephone socket is very simple and is only to use a soft cloth slightly dampened with soap and water

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 4 RJ11 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ11

NUMBER OF CONTACTS

4

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

RJ

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

Category 3

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252215

UNITARY PACKAGING HEIGHT

27

UNITARY PACKAGING WIDTH

45.7

UNITARY PACKAGING LENGTH

45.7

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.056

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.025

PRODUCT NET WEIGHT

0.016

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053010747

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

50

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.155

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.25

PACKAGING NET WEIGHT

0.16

PACKAGING WEIGHT UNIT

KGM