S-Video connector female with trim plate black Simon K45

REF. **K103B/14**



BASIC INFORMATION

DESCRIPTION

The series Simon K45 is very complete. On this occasion we present this female S-Video connector, with the trim plate in black colour grey finish. These video connectors have a screw terminal connection and the maximum length of cabling recommended is about 30 meters. However, in the instructions of the connector is much more information about this. This is the individual version of the connector, with a module as far as the installation is concerned, it is wide, because the user can choose to install either surface-mounted or flush-mounted. It is manufactured from metal components, isolated using a self-extinguishing, halogen-free thermoplastic material. This material makes it safer during use of the connectors, because it can withstand high temperatures, which minimizes the risk of fire. The RCA connector of the series Simon K45 measures 22.5 x 45 millimetres and does not require difficult maintenance, simply use a soft, dry cloth for cleaning.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Female S-Video connector, wire cable tie and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 30 meters For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

CONNECTOR TYPE
S-Video

NUMBER OF CONTACTS
4

NUMBER OF POSSIBLE ELEMENTS
1/2 element

FORMAT
S-Video

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RAL
7021

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
5

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436064706

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.025

PRODUCT NET WEIGHT
0.025

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436064706

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.012

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0.025

PACKAGING NET WEIGHT
0.025

PACKAGING WEIGHT UNIT
KGM