

Wire outlet 102 mm diameter for installation in furniture or raised floor black Simon K45

REF. TS10/14



BASIC INFORMATION

DESCRIPTION

Cable outlet 102 millimetres diameter for installing flush-mounted into raised floor or in any type of furniture. It is perfect for offices, work stations, meeting rooms, etc. This product is part of the series Simon K45 and to its 102 millimetres diameter, it is necessary to add a depth of 43 millimetres. It has a beautiful current and finished in black colour. The material of manufacture is a free and self-extinguishing thermoplastic components, halogens. This type of compounds guarantee the security of the electrical products, which prevent the propagation of the fire management and the toxicity in case of smoke is minimum. The outlet of cabling has a total of 752 millimetres squares useful area for the passage of cables. Accepted temperatures of up to 60 degrees centigrade. It is also available in black finish and aluminium. Its maintenance only requires cleaning with a soft, dry cloth.

FINISH

Black

MATERIAL

Thermoplastic

COMPATIBILITY

Enclosures Simon K45 for installation on wall, floor, ceiling, and furniture, and enclosures Simon 500 Cima (requires combining with the adapter from K45 to 500 Cima ref. 50012088-033).

PACKAGING CONTENTS

Cable outlet and installation manual.

ETIM CLASS

EC003910

REMARKS

The cable outlet has a useful area of 752 mm² for the passage of cabling

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

AVAILABLE IN

Available in black or aluminium

IP RATING

IP20

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

RAL

7021

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Through the lateral thread of the screws which hold the cable outlet base to the final location (furniture or raised floor)

INSTALLATION DIRECTION

Horizontal.

REMOVAL OF THE PLATE

Only with tool

INSTALLATION TYPE

Suitable for flush-mounting in furniture or raised floor.

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053229064

PRODUCT NET WEIGHT

0.092

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3769392

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436029316

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

118

PACKAGING NET WEIGHT

0.46

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

121

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.092

PACKAGING LENGTH

264