Angled voice and data plate without dust cover 1 element for 1 RJ45 aluminium Simon 500 Cima

REF. **50000181-033**



BASIC INFORMATION

DESCRIPTION

This angled voice and data plate of 1 element for 1 RJ45 does not contain dust shutter and is finished in aluminium. It is included in the Simon 500 Cima series, a collection that proposes a revolutionary system of workplace solutions and an installation significantly more quickly in its mechanisms thanks to the click terminal connection. The plate has dimensions of 50x50x21 mm and includes clips for fastening in both vertical and horizontal enclosures without the need adapter. It is made of halogen-free thermoplastic, a material that is characterized by its security in case of fire, prevent the propagation of the fire. The product, in addition, it is in full compliance with the current regulation. For maintenance, the manufacturer advises you to clean the piece with a soft and dry suede. Remember that abrasive cleaners containing chlorine are not recommended at all, as they could damage the plate.

FINISH

Aluminium

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

PLATE TYPE
Angled

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

SNAP-FIT RJ45 PLATES
Corresponding to combined MD module

DUST PROTECTION
No

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

SNAP-FIT TYPE
Corresponding to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
1

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.013

PRODUCT NET WEIGHT
0.013

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095171

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
1223

PACKAGING LENGTH
126

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
13.561

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.26

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10