Flat voice and data plate without dust cover for 1 RJ45 R&M® (Reichle de Massari®) for 1 element aluminium Simon 500 Cima

REF. **50020185-033**



BASIC INFORMATION

DESCRIPTION

In our catalogue is this plate of voice and data flat plate, of the Simon 500 Cima series, without dust shutter and suitable for an RJ45 connector from R & M (Reichle de Massari), the plate is an element and has an aluminium finish, this is the individual version with a module. These plates are available for one or two RJ45 connectors. The manufacturing lawyer by halogen-free thermoplastic material, to minimize the risk of fire. It should be noted that this type of materials bear up high temperatures. In this way is achieved to avoid the toxicity in case of smoke. The Simon 500 Cima series commitment products of the highest quality and with modern and modern designs, to be able to be installed in different spaces. This plate has dimensions of 50 x50 x 11 millimetres and includes the clips necessary to be able to install it in all kinds of enclosures, both vertical and horizontal in terms of maintenance, simply have to clean it with a soft cloth without dampening it.

FINISH

Aluminium

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Classic series Cat5e (R925371, R925370), Star Cat6 series (R302373, R302372) and Advanced Cat6A series (R509500, R509504) from R&M® (Reichle de Massari®).

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
RJ45 R&M® connectors

SNAP-FIT TYPE
RJ45 R&M® connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.02

PRODUCT NET WEIGHT
0.02

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097212

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604


PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.2

PACKAGING WEIGHT UNIT
KGM


50
50


5
11