

Pull-cord push-button switch 10A 250V~ with fast terminal connection system ivory Simon 27 Play

REF. 27153-62



BASIC INFORMATION

DESCRIPTION

It is a push-button switch handler push buttons 10 AX 250V~ with quick terminal connection system and finished in white, ivory, which is included in the Simon 27 Play series, the piece is suitable for surface and flush mounting and has dimensions of 45x45 mm in terms of its manufacturing material, it consists of metal components with halogen-free thermoplastic insulation and thermoset trim in. Thanks to its terminal connection system, there is no need to strip cables at the time of its installation, making the task and by doing it much more secure. This article is compatible with the frames of the series Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralizations and Simon 44 Aqua. As for its maintenance, it is recommended to clean this push-button switch with a soft, dry cloth and avoid abrasive cleaning products containing chlorine.

FINISH

Ivory

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mechanism with rocker

ETIM CLASS

EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 A

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-2-1:2011 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053251645

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.063

PRODUCT NET WEIGHT

0.063

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053081488

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

165

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.017

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.625

PACKAGING NET WEIGHT

0.63

PACKAGING WEIGHT UNIT

KGM