

## Voice and data flat plate without dust cover for 1-element for 1 Ortronics® RJ45 connector black Simon K45

REF. K281/14



## BASIC INFORMATION

### DESCRIPTION

Element of the plate model K281 / 14 For the professional series Simon K45, this is the individual version Compatible for different types of installations for voice and data connections. It is a model of plate Voice and data plate without dust cover for a single element, for 1 RJ45 connector of Of ORTRONICS ® with an snap-fit Keystone I, II, ATT ® / Avaya ®. Is Manufactured in black finishes of tonality. It has components of thermoplastic character Halogen-free; guarantees no flame propagation in case of Fire and low toxicity in the event of smoke generation. In the case of combining plate Of VOX vertical enclosures and data you must use the 90° positioner (ref. K66) to facilitate its orientation. It has dimensions 45x45mm and a depth of 8 mm, which makes it a component very versatile And adaptable to all types of assemblies and installations professionals.

### FINISH

Black

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

### PACKAGING CONTENTS

Flat voice and data plate without dust cover

### ETIM CLASS

EC000018

### REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### DUST SHUTTER

No

### NUMBER OF MODULES

Half

### AVAILABLE IN

Plate for 1 and 2 RJ45 connectors

### FORMAT

RJ45

### PLATE TYPE

Flat

### COMPATIBLE WITH CONNECTORS

Clarity TechChoice Keystone series

### IP RATING

IP20

### RAL

7021

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Included in voice and data plate

### RJ45 CONNECTORS

Not included in voice and data plate

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

Conectores RJ45 de Ortronics®

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### SNAP-FIT TYPE

Conectores RJ45 de Ortronics®

### DUST PROTECTION

No

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### INSTALLATION TYPE

Suitable for surface and flush mounting

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.005

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

544320

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8426436036345

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

0.3

### UNITS CONTAINED PACKAGING

10

### PACKAGING GROSS WEIGHT

0.1

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING HEIGHT

72

### PACKAGING NET WEIGHT

0.05

### UNITARY PACKAGING GROSS WEIGHT

0.005

### PACKAGING WIDTH

72

### PACKAGING WEIGHT UNIT

KGM

### PACKAGING LENGTH

105