Back kit for 1 dimmer Simon 100

REF. **10010113-039**



BASIC INFORMATION

COMPATIBILITY
Front Kit Simon 100

PACKAGING CONTENTS
Mechanism and instructions

ETIM CLASS
EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

TYPE OF MECHANISM
Momentary switch button

NOMINAL VOLTAGE (V~)
250 V~

INDICATOR FUNCTION
Yes

MONOBLOCK
No

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION DIRECTION

Horizontal and vertical

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053201268

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.125

PRODUCT NET WEIGHT
0.125

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053201268

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
76

PACKAGING WIDTH
90

PACKAGING LENGTH
88

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
601920

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.125

PACKAGING WEIGHT UNIT
KGM